Patient name:
Date of birth:

Alcohol screening questionnaire (AUDIT)

Drinking alcohol can affect your health and some medications you may take. Please help us provide you with the best medical care by answering the questions below.

One drink equals:



12 oz. beer



5 oz.

1.5 oz. liquor (one shot)

			4	-	
1. How often do you have a drink containing alcohol?	Never	Monthly or less	2 - 4 times a month	2 - 3 times a week	4 or more times a week
2. How many drinks containing alcohol do you have on a typical day when you are drinking?	0 - 2	3 or 4	5 or 6	7 - 9	10 or more
3. How often do you have five or more drinks on one occasion?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily
4. How often during the last year have you found that you were not able to stop drinking once you had started?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily
5. How often during the last year have you failed to do what was normally expected of you because of drinking?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily
6. How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily
7. How often during the last year have you had a feeling of guilt or remorse after drinking?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily
8. How often during the last year have you been unable to remember what happened the night before because of your drinking?	Never	Less than monthly	Monthly	Weekly	Daily or almost daily
9. Have you or someone else been injured because of your drinking?	No		Yes, but not in the last year		Yes, in the last year
10. Has a relative, friend, doctor, or other health care worker been concerned about your drinking or suggested you cut down?	No		Yes, but not in the last year		Yes, in the last year
	0	1	2	3	4

Have you ever been in treatment for an alcohol problem?

Never

Currently In the past

Drug Screening Questionnaire (DAST)

Using drugs can affect your health and some medications you may take. Please help us provide you with the best medical care by answering the questions below.

Patient name:	
Date of birth:	

Which recreational drugs have you used in the past year? (Check a methamphetamines (speed, crystal) cocaine cannabis (marijuana, pot) narcotics (hero inhalants (paint thinner, aerosol, glue) hallucinogens (tranquilizers (valium) other	oin, oxycodone (LSD, mushro		, etc.)
How often have you used these drugs?	Weekly	☐ Daily or a	lmost daily
1. Have you used drugs other than those required for medical reasons?		No	Yes
2. Do you abuse (use) more than one drug at a time?		No	Yes
3. Are you unable to stop using drugs when you want to?		No	Yes
4. Have you ever had blackouts or flashbacks as a result of drug use?		No	Yes
5. Do you ever feel bad or guilty about your drug use?		No	Yes
6. Does your spouse (or parents) ever complain about your involved drugs?	vement with	No	Yes
7. Have you neglected your family because of your use of drugs?	1	No	Yes
8. Have you engaged in illegal activities in order to obtain drugs?	,	No	Yes
9. Have you ever experienced withdrawal symptoms (felt sick) w stopped taking drugs?	hen you	No	Yes
10. Have you had medical problems as a result of your drug use (memory loss, hepatitis, convulsions, bleeding)?	(e.g.	No	Yes
Do you inject drugs? No \(\subseteq \text{Yes} \subseteq \) Have you ever been in treatment for a drug problem? No \(\subseteq \text{No} \subseteq \)] Yes [0	1
		I II 0 1-2	III IV 3-5 6

PATIENT HEALTH QUESTIONNAIRE (PHQ-9)

NAME:		_ DATE:			
Over the last 2 weeks, how often have you been					
bothered by any of the following problems? (use "✓" to indicate your answer)	Not at all	Several days	More than half the days	Nearly every day	
1. Little interest or pleasure in doing things	0	1	2	3	
2. Feeling down, depressed, or hopeless	0	1	2	3	
3. Trouble falling or staying asleep, or sleeping too much	0	1	2	3	
4. Feeling tired or having little energy	0	1	2	3	
5. Poor appetite or overeating	0	1	2	3	
6. Feeling bad about yourself—or that you are a failure or have let yourself or your family down	0	1	2	3	
7. Trouble concentrating on things, such as reading the newspaper or watching television	0	1	2	3	
8. Moving or speaking so slowly that other people could have noticed. Or the opposite — being so figety or restless that you have been moving around a lot more than usual	0	1	2	3	
9. Thoughts that you would be better off dead, or of hurting yourself	0	1	2	3	
	add columns		+		
(Healthcare professional: For interpretation of TOTAL, TOTAL: please refer to accompanying scoring card).					
10. If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?		Somewl	cult at all hat difficult ficult ely difficult		

Copyright ● 1999 Pfizer Inc. All rights reserved. Reproduced with permission. PRIME-MD● is a trademark of Pfizer Inc. A2663B 10-04-2005